

〈依規格一扁條〉

扁條	寬度	厚度	單米重		扁條	寬度	厚度	單米重
35517	4	4	0.044		35556	20	12.5	0.679
35294	6.6	5	0.091		35298	20	14	0.77
35513	7	6	0.114		35324	20	15	0.825
35537	8	8	0.176		35312	20	17	0.935
35548	9	7.5	0.184		35401	20	20	1.1
35323	9.3	6	0.153		35463	22	8	0.484
35349	9.5	9.5	0.248		35272	22.2	6.35	0.388
35455	9.8	7.7	0.208		35235	22.2	22.2	1.355
M8110	10	8	0.22		35189	23	6	0.38
I8601	10	10	0.275		35326	23	10	0.633
35413	11	8	0.242		35196	24	3.18	0.21
5115	11.5	2.5	0.079		35178	24	5	0.33
35273	12	3	0.099		3538	25	3	0.206
35514	12	6	0.196		3597	25	5	0.344
35356	12	8	0.264		H5002	25	9.5	0.653
35296	12	12	0.396		35541	25	10	0.679
35199	12.7	6.35	0.222		35300	25	12	0.825
35443	12.7	9.53	0.333		35317	25	12.5	0.859
35485	12.7	10	0.349		E79604	25.4	2.8	0.196
35254	12.7	12.7	0.444		35194	25.4	3.18	0.222
35184	12.8	4.7	0.165		35492	25.4	4	0.279
35540	12.8	12.8	0.445		35493	25.4	5	0.349
IA601	13	4.5	0.161		35195	25.4	6.35	0.444
H5005	13	6	0.215		35251	25.4	9.53	0.666
35305	14	12	0.462		35245	25.4	12.7	0.887
G4205	14.5	14.5	0.578		35253	25.4	15.88	1.109
35181	14.75	9.8	0.398		35481	25.4	16.1	1.125
35266	15	2	0.083		35265	25.4	19	1.327
3502	15	6	0.245		35397	25.4	22.2	1.551
I8931	15	15	0.619		35198	25.4	25.4	1.774
35214	15.5	4.4	0.188		35480	25.5	10	0.701
35435	15.8	12.7	0.552		35405	26	20	1.43
35241	15.88	15.88	0.693		35415	26.4	26.4	1.917
35454	16	10	0.44		35434	27	24	1.782
35484	16	16	0.704		35532	27.6	18.3	1.389
35555	16.4	16.4	0.729		35322	28	15	1.155
35215	16.5	5	0.227		35491	28.5	28.5	2.234
35231	18	4	0.198		35350	28.6	28.6	2.249
35309	18	4.4	0.218		NA7188	28.96	4.78	0.381
35230	18	13	0.644		35291	29	1.1	0.088
35523	19	5	0.258		35432	29	5	0.399
I8932	19	8	0.418		35357	29	12	0.957
G3720	19	9.5	0.496		35201	30	4	0.33
G5402	19	9.5	0.496		35205	30	8	0.66
3505	19	19	0.982		ME921	30	10	0.825
3505D	19.05	2.8	0.147		35547	30	12.7	1.043
E79602	19.05	2.8	0.147		ME923	30	15	1.238
3505E	19.05	3	0.157		35488	30	16	1.32
3505F	19.05	5.8	0.304		3530A	30	20	1.65
35237	19.05	6.35	0.333		35412	30	30	2.475
G3773	19.05	9.5	0.498		35256	31.7	27	2.354
35252	19.05	12.7	0.665		35247	31.75	6.35	0.554
I8644	19.2	8.4	0.444		35100	31.75	9.5	0.829
35410	20	5	0.275		35232	31.75	12.7	1.109
35392	20	6	0.33		35233	31.75	15.88	1.387
35361	20	8	0.44		35126	31.75	19.05	1.663
35409	20	10	0.55		35334	31.75	22.2	1.938
35295	20	12	0.66		35150	31.75	25.4	2.218

〈依規格一扁條〉

扁條	寬度	厚度	單米重		扁條	寬度	厚度	單米重
35132	31.75	31.75	2.772		35302	44.5	25.4	3.108
35465	31.8	9.5	0.822		35255	44.5	44.5	5.446
35512	31.8	15.7	1.358		35441	45	1.4	0.173
35500	31.8	15.9	1.375		35374	45	3.4	0.421
35327	32	4.5	0.396		35365	45	4.1	0.507
35546	33	3	0.269		35372	45	12.7	1.572
35303	33	14	1.271		35373	45	15.9	1.968
35416	33	22	1.997		35315	45	17	2.104
35402	35	8	0.77		35371	45	19	2.351
35375	35	14	1.348		35496	45	38.1	4.663
35306	35	18	1.733		35191	45	45	5.569
35190	35	26	2.503		35304	45.5	14	1.752
35274	35	35	3.369		35262	47	5	0.646
35355	36	22	2.178		A26152	47.04	9.525	1.232
35284	38	2.6	0.272		35515	47.1	31.1	3.984
35220	38	4.7	0.491		35511	49	45	5.998
35538	38	29	2.997		35185	50	7	0.963
3509D	38.1	2.8	0.293		35226	50	10	1.375
3509F	38.1	5.8	0.608		35297	50	12	1.65
35210	38.1	6.35	0.665		35299	50	14	1.925
35404	38.1	8	0.838		HB408	50	15	2.063
35234	38.1	9.53	0.999		ME925	50	15	2.063
35113	38.1	10	1.048		AD1757	50	40	5.5
35242	38.1	12.7	1.331		35260	50.2	10	1.381
35217	38.1	15.8	1.655		3574	50.5	6	0.833
35239	38.1	19.05	1.996		E79605	50.8	3	0.419
35335	38.1	22.2	2.326		35408	50.8	4.9	0.685
35128	38.1	25.4	2.661		35238	50.8	6.35	0.887
35158	38.1	31.75	3.327		35482	50.8	8	1.118
35160	38.1	38.1	3.992		35136	50.8	9.5	1.327
G5411	38.86	6.35	0.679		35243	50.8	12.7	1.774
35264	39	5	0.536		35123	50.8	15.88	2.218
3581	39.9	5.8	0.636		35127	50.8	19.05	2.661
35222	40	3	0.33		35244	50.8	22.2	3.101
35200	40	5	0.55		35129	50.8	25.4	3.548
H2384	40	5	0.55		35131	50.8	31.75	4.435
35554	40	10	1.1		35142	50.8	38.1	5.323
35204	40	12	1.32		35133	50.8	50.8	7.097
35261	40	13.3	1.463		35269	51	5	0.701
35314	40	14	1.54		35506	51.33	1.5	0.209
35321	40	15	1.65		35329	52	4.6	0.658
35396	40	20	2.2		35370	52	6.7	0.958
35313	40	22.1	2.439		35328	52	16	2.288
35550	40	25	2.72		35236	53	3.05	0.445
3531D	40	30	3.3		35411	54	42	6.237
35490	40.05	1.5	0.165		35406	54	50	7.425
35539	42	8	0.914		35259	54	54	8.019
3532	42	42	4.851		HB401	54.25	8.25	1.231
35325	44	15.5	1.876		35368	55	1	0.151
35531	44	34	4.114		35118	55	6	0.908
35388	44.1	3.1	0.376		35507	55	11	1.646
35395	44.4	32	3.907		35193	56	3.18	0.49
35518	44.5	6.35	0.769		35501	56	4	0.609
35287	44.5	9.5	1.163		35229	56	9	1.386
35521	44.5	12.7	1.537		35386	57	31.8	4.985
35519	44.5	15.8	1.912		35391	57	38.1	5.972
35520	44.5	19	2.3		35134	57.15	57.15	8.982
35398	44.5	22.2	2.717		35292	58	2	0.319

〈依規格一扁條〉

扁條	寬度	厚度	單米重		扁條	寬度	厚度	單米重
35486	59.5	16	2.618		35154	76.2	15.88	3.328
35164	59.5	19	3.109		35145	76.2	19.05	3.992
35498	60	2.5	0.408		35285	76.2	22.2	4.652
35479	60	25	4.125		35130	76.2	25.4	5.323
35477	60	28	4.62		35157	76.2	31.75	6.653
AD141	60	50	8.25		35141	76.2	38.1	7.984
35351	60	60	9.9		35344	76.2	44.5	9.325
35433	61	46	7.717		35168	76.2	50.8	10.645
35319	61.8	2	0.34		35224	76.2	63.5	13.188
35103	62	20	3.41		35165	76.2	76.2	15.968
35316	63	14	2.426		35524	76.4	15.88	3.336
35383	63	34	5.891		35504	77	9.5	1.99
35248	63.5	6.35	1.109		35223	77.85	2.4	0.514
35246	63.5	9.53	1.664		35202	78	2.4	0.515
35147	63.5	12.7	2.218		35330	78	3	0.644
35124	63.5	15.88	2.773		35417	78	31	6.65
35144	63.5	19.05	3.327		35505	78.25	4.3	0.915
35177	63.5	22.2	3.877		3571	80	2.5	0.55
35439	63.5	24	4.191		35483	80	3	0.66
35151	63.5	25.4	4.435		3598	80	8	1.76
35159	63.5	31.75	5.544		35528	80	13	2.86
35143	63.5	38.1	6.653		35213	80	60	13.2
35286	63.5	44.5	7.771		35403	80.5	11.5	2.546
35175	63.5	50.8	8.871		35332	80.8	4	0.889
35381	63.5	57	9.954		35473	82	2	0.451
35176	63.5	63.5	11.089		35358	82.5	82.5	18.717
35270	64	5	0.88		35379	83	26.6	6.071
35390	65	2	0.358		35418	83	28	6.391
AD1758	65	30	5.363		35348	84	64	14.784
G7701	65	61	10.904		3594	84.5	8	1.859
35219	65.7	3.2	0.572		35117	85	7	1.636
35530	66	3.5	0.635		35502	85	7.6	1.757
35509	66	63	11.31		H5013	85.5	6	1.411
35352	67	67	12.345		35428	86.5	66.5	15.819
35359	68	1.5	0.281		35138	88.9	9.5	2.323
3559	68	4	0.748		35149	88.9	12.7	3.105
35419	68	34	6.358		35155	88.9	15.88	3.882
35495	69	9.5	1.783		35240	88.9	19.05	4.657
35180	70	2	0.385		35336	88.9	22.2	5.427
35474	70	4	0.77		3595	88.9	25.4	6.21
AD162	70	6	1.155		35227	88.9	31.75	7.762
35438	70	15	2.888		35343	88.9	38.1	9.314
AD1759	70	40	7.7		35459	88.9	88.9	21.734
35364	71	52	10.153		35288	89	3.2	0.783
35425	71	56	10.934		35407	89	6.35	1.554
35353	71	71	13.863		35342	89	38.1	9.325
35499	72	6	1.175		35489	89	45	11.014
35423	72	8	1.584		35354	89	50.8	12.433
35422	72	34	6.732		35257	89	76	18.601
35431	72	42	8.316		35516	89.1	25.4	6.156
35278	74	33.5	6.817		3514	89.1	32	7.755
35471	75	4	0.825		35104	90	2.45	0.606
35263	75	5	1.031		35427	90	7	1.733
35212	76	6.5	1.344		35119	90	15	3.713
35378	76	34	7.106		35442	90	54	13.365
35249	76.2	6.35	1.331		35387	90.25	6.1	1.514
35137	76.2	9.5	1.991		35451	90.5	5.1	1.269
35148	76.2	12.7	2.661		35276	91	11.5	2.878

〈依規格一扁條〉

扁條	寬度	厚度	單米重	扁條	寬度	厚度	單米重
35467	91	51	12.763	35536	115	60	18.975
35283	91.5	7.15	1.799	35497	116	4	1.262
35475	91.6	3	0.756	35466	116	24	7.656
3562	92.2	92.2	23.377	35384	119	3	0.982
A26153	92.76	9.525	2.43	35162	120	4.1	1.353
35307	93	3.2	0.818	35380	120	6	1.98
35366	93	5.5	1.407	NA726	120	8	2.64
35447	94	32	8.272	35399	120	10.8	3.564
35106	95	4	1.045	35163	120	12.1	3.993
35452	95	6.1	1.594	35545	120	15	4.895
35450	95	7.1	1.855	35377	120	23.5	7.755
35510	95	93	24.031	35429	120	24	7.92
35526	96	96	25.344	35110	120	52	17.16
35436	97	49	13.071	35275	121	8.4	2.795
35437	97	58	15.472	35445	122	3.95	1.325
35487	98	14	3.773	35440	122	38	12.749
35279	100	2	0.55	3573	123	3	1.015
AD163	100	12	3.3	35385	124	61	20.801
35534	100	14	3.85	35105	125	4	1.375
35535	100	17	4.675	AD158	125	12	4.125
35121	100	54	14.85	35140	127	9.5	3.318
35426	101	81	22.498	35174	127	12.7	4.435
35290	101.3	76	21.172	35156	127	15.88	5.546
35250	101.6	6.35	1.774	35167	127	19.05	6.653
3596	101.6	7	1.956	35188	127	22	7.684
35139	101.6	9.5	2.654	35172	127	25.4	8.871
35268	101.6	9.7	2.71	35170	127	31.75	11.089
35161	101.6	12.7	3.548	35171	127	38.1	13.306
35125	101.6	15.88	4.437	35347	127	50.8	17.742
35146	101.6	19.05	5.323	35458	127	57	19.907
35337	101.6	22.2	6.203	35277	128.5	8.8	3.11
35153	101.6	25.4	7.097	35116	130	2	0.715
35166	101.6	31.75	8.871	3569	130	3	1.073
35169	101.6	38.1	10.645	3588	130	5	1.788
35345	101.6	44.5	12.433	35543	130	8.5	3.039
35289	101.6	50.8	14.194	35192	130	41	14.658
35460	101.6	101.6	28.387	35197	130	45	16.088
35469	101.6	101.6	28.387	35308	131	3.2	1.153
35111	102	3	0.842	35453	132	76	27.588
35393	102	3	0.842	35331	134	21	7.739
35112	103	5	1.416	3578	134	33	12.161
35468	103	51	14.446	35446	136	3.95	1.477
35508	104	43.5	12.305	35382	136	61	22.814
35533	105	13.5	3.898	3592	138	4.6	1.746
35120	105	19	5.486	3517	138	13	4.88
35494	106	56	16.324	35551	138	45	16.892
35209	107	28	8.239	3582	140	3.25	1.251
35367	108	32.5	9.653	35522	140	5.1	1.964
35318	110	5	1.513	35456	140	18	6.93
3558	110	8.05	2.435	35280	140.3	6.15	2.373
35478	110	21	6.353	35281	140.3	8.15	3.144
35228	110	28	8.47	35529	142	16.6	6.482
35414	113	1.9	0.59	35101	144	4	1.584
35444	113	3.95	1.227	35472	144	39	15.444
35470	114.3	114.3	35.927	35464	144	58	22.968
35376	115	7	2.214	35421	145.5	2.65	1.06
35449	115	12.1	3.827	35320	147	3	1.213

〈依規格一扁條〉

扁條	寬度	厚度	單米重	扁條	寬度	厚度	單米重
A0601	147.05	6	2.426	AD1738	200	20	11
35293	149	7	2.868	35363	200	21	11.55
35311	150	6	2.475	35258	200	23	12.65
AD107	150	10	4.125	35339	200	25.4	13.97
AD1672	150	15	6.188	3564	209	3.2	1.839
AD1811	150	20	8.25	35389	220	6	3.63
35207	151	13	5.398	35542	231.8	7	4.462
35360	152	52	21.736	35544	236.5	11	7.076
M7314	152	52	21.736	35179	250	6	4.125
3590	152.4	5	2.096	35503	280	3.1	2.361
3589	152.4	25.4	10.645				
35340	152.4	31.75	13.306				
35394	152.4	38.1	15.968				
35346	152.4	45	18.86				
35301	152.7	16.2	6.803				
35400	153	20	8.415				
35476	156	73.6	31.574				
3576	157	3	1.295				
35462	159	10.5	4.591				
35461	159	12.5	5.466				
3518	160	8	3.52				
3580	164	6	2.706				
35206	165	2.65	1.202				
3543	165	3.5	1.588				
35420	165.5	2.65	1.206				
35221	166	3	1.37				
3577	166	38	17.347				
3545	170	10	4.675				
3553	170	11.5	5.376				
3552	170	15.5	7.246				
35549	170	35	16.183				
35282	170.3	8.15	3.817				
35557	172	19.5	9.122				
35558	172	22.5	10.526				
35552	174	53	25.393				
35457	174.5	1.9	0.912				
3556	175	3.1	1.492				
3591	175	6.35	3.022				
AD1736	175	15	7.219				
H5010	176.5	6	2.912				
35211	177.8	13	6.356				
3550	178	2.5	1.224				
3544	180	5	2.475				
35333	180	20	9.9				
35338	180	25.4	12.573				
3546	184	3.2	1.619				
35310	185	2.8	1.425				
3560	185	4	2.035				
3567	188	5	2.585				
35341	188	33	17.061				
35107	190	4	2.09				
3575	190.5	6.4	3.353				
35208	197	13.5	7.314				
35186	199.25	3.2	1.753				
35218	200	7	3.85				
35527	200	13	7.15				
AD1737	200	15	8.25				
35362	200	18	9.9				